REFERENCES

1.American academy of orthopaedic surgeons.
website :http://orthoinfo.aaos.agr/topic A00311

2.Amir Massoud Arab(2007)Sensitivity, specificity and predictive value of the clinical trunk muscle endurance tests in low back pain. Clinical Rehabilitation; 21(7):640-647.

3.Brulin, Christine, Winkvist et al.(2000)Stress from working conditions among home care personnel with musculoskeletal symptoms. Journal of Advanced Nursing; 31(1):181-189.

4.Chiou WK, wong MK(1992) Epidemiology of low backPain in the nurses of Chang Gung Memoria Hospital.Changgeng Yi Xue Za Zhi; 15(2) : 64-71

5.Cohen-mansfield J, Culpepper WJ , Carter P(1996)Nursing staff low back injuries. Prevalence and costs in long term care facilities. AAOOHN J; 44: 9-17

6.Derek R.Smith, Mutsuko Mihashi, Yasuko Adachi et al.(2006) A detailed analysis of musculoskeletal disorder risk factors among Japanese nurses. Journal of Safety Research 2006; 37:195-200.

7.Einas Al-Eisa (2010) Indicators of adherence to physiotherapy attendance among Saudi female patients with mechanical low back pain: a clinical audit. BMC Musculoskeletal Disorders 11:124

8.Ellis BE.Moving and handling patients:an evaluation of current training for physiotherapy students. Physiotherapy 79:323-326.

9.E S Nahit, G J Macfarlane, C M Pritchard et al.(2001) Short term influence of mechanical factors on regional musculoskeletal pain: a study of new workers from 12 occupational groups. Occupational and Environmental Medicine; 58:374-381.

10.Eva L Horneji , Irene B Jensen , Eva B Holmstorm et al.(2004) Sick leave among home-care personnel: a longitudinal study of risk factors, BMC Musculoskeletal disorder,; 5(38): 1-12

11.Evangelos C. Alexopoulos , Alex Burdorf et al. (2003)Risk factors for musculoskeletal disorder among nursing personnel in Greek hospitals . International archives of occupational and environmental health; 76(4) : 289-94.

12.Feyer AM, Herbison P, Williamson AM et al.(2000) The role of physical psychological factors in occupational low back pain : A prospective cohort study. Occp Environ Med 2000; 57:116-120.

13.Graham Brennan, Amir Shafat, Ciaran Mac Donncha, and Carmel Vekins(2007)Lower back pain in physically demanding college academic programs: a questionnaire based study. BMC Musculoskeletal Disorders;8:67.

14.Gonge H, Donbaek Jensen L, Bonde JP(2001) Do psychosocial strain and physical exertion predict onset of low back pain among nursing aides? Scand J Work Environ Health 2001; 27:388-394.

15.Guo HR(2002) Working hours spent on repeated activities and prevalence of back pain. Occupational and Environmental Medicine; 59(10):680-8.

16.Ismaeil Ebrahimi, Gholam Reza Shah Hosseini, Mahyar Salavati et al(2005) Clinical trunk muscle endurance tests in subjects with and without low back pain. Medical Journal of the Islamic Republic of Iran;19(20):95-101.

17.Ito T, Shirado O, Suzuki H et al.(1996)Lumbar trunk muscle endurance testing: an inexpensive alternative to a machine for evaluation. Arch Phys Med Rehabil.1996;77(1):75-9.

18.JacksonJ, Liles C(2000) Working Postures and physiotherapy students. Physiotherapy 80:432-436.

19.Josephson M, Hangberg M, Wigaeus Hjelm E. (2001)Self reported physical exertion in geriatric care- A risk indicator for low back symptom ? Scand J Work Environ Health ; 27 : 388-394.

20.Kankaanpaa M, Taimela S, Laaksonen D et al(1998) Back and hip extensor fatigability in chronic low back pain patients and controls. Archives of physical medicine and rehabilitation; 79(4):412-417.

21.Leah Jane Nyland and Karen Anne Grimmer (2003) Is undergraduate physiotherapy study a risk factor for low back pain? A prevalence study of LBP in Physiotherapy Students. BMC Musculoskeletal Disorders; 4:22.

22.MA. Mohseni-Bandpei, M. Fakhri, M.Ahmad-Shirvani et al (2007) Risk factors for low back pain in nurses. Directory of Open Acces Journal; 16(50):118-124.

23. Mohammed K. Yousef, Afnan O. Al-Zain (2009) Posture Evaluation of Dental Students Med. Sci., Vol. 16 No. 2, pp: 51-68

24. Moseley L (2002) Combined physiotherapy and education is efficacious for chronic low back pain. Australian Journal of Physiotherapy 48: 297-302

25.Philip Harber (1990) Occupational Back Pain of Nurses. THE WESTERN JOURNAL OF MEDICINE.Vol152 . 2.175-178
Rebbeck, T (2002) Physiotherapy management of low back painLow Back Pain Evidence-based Clinical Statement. Australian Physiotherapy Association

26.Rebbeck, T (2002) prepared a Evidence-based Clinical Statement for Australian Physiotherapy Association

27.Silverstein B, Viikari-Juntura E, Kalat J(1990-1998) Use of a prevention index to indentify industries at high risk for work related musculoskeletal disorder of the neck, back and upper extremity in Washington state , Am J Ind Med 2002 ; 41: 149-169.

28.Taylor N, Dodd K, Shields N and Bruder A(2006)APA Position Statement Evidence regarding therapeutic exercise in physiotherapy

29.Tim Mitchell , Peter B. O'Sullivan , Angus F. Burnett (2008) Low back pain characteristics from undergraduate student to working nurse in Australia: A cross-sectional survey, International Journal of Nursing Studies.Vol 45 1636–1644

30.Torill H. Tveito & Hege R. Eriksen(2008) Integrated health programme: a workplace randomized controlled trial. Journal of Advanced Nursing 65(1), 110–119

31.Waxman , Robin, Tennant.(2000) A prospective follow-up study of low back pain in the community. Spine ; 25 (16): 2085-2090.